

Phone: +61 2 9999 3311

Email: sales@dbyboatsales.com.au

Website: www.dbyboatsales.com.au

Boat Details

Price	Sold	Boat Brand	Hallberg-Rassy
Model	HR 34	Length	10.36
Year	2002	Category	Cruising Yacht
Hull Style	Single	Hull Type	Fibreglass
Power Type	Sail	Stock Number	PWHR343251
Condition	Used	State	South Australia
Suburb	ADELAIDE	Engine Make	Volvo Penta

Description

Beautifully presented 2002 Hallberg Rassy 34 now for sale exclusively with DBY Boat Sales.

This boat is set up for some serious blue water sailing. A high level of equipment very rarely seen in a boat this size.

The HR 34 is known as a very well-balanced boat. She is set up for short-handed sailing, very easy to handle with a fractional rig, lazy jacks, and autopilot. Her hull shape ensures a sea-kindly motion offshore achieving good stability and performance.

Her hull is solid fibreglass and she is insulated above the waterline.

She is twin cabin with 1 bathroom. Her generous dinette and opposing bench seat gives additional 2 berths if needed.

The galley is L shaped and opposes a generous chart table and seat.

Lots of storage with plenty of cupboards and shelves to support offshore living.

Ellois a beautifully-appointed and maintained pocket cruiser just waiting to take new owners on an adventure.

Features

Designer	German Frers
Builder	Hallberg-Rassy Yachts
Water (Potable) Capacity (l)	255
Hull Construction Material	Fibreglass. The hull and deck are laminated. Gelcoat colour: white 1000. Isophthalic gelcoat isophthalic polyester resin. Hand lay-up method, insulated above waterline. Integrated rubbing strake with brass strip. Blue decorative band in gelcoat. Strong floor reinforcements. Deep bilge.
Hull Type	Mono
Deck Construction Material	Fibreglass. Deck and coachroof areas and also cockpit are of sandwich

	construction laminated to the hull to form a one piece construction. Cockpit length 2.24m.
Country Origin	Sweden
Length (feet)	33 ft 9 inches
Length (m)	10.28
Length Waterline (m)	8.69
Beam/Width (m)	3.42
Draft (m)	1.85
Keel/Ballast	Bolt on Lead keel 2.1 ton
Number of Helms	1
Displacement	5.3 ton
Colour	White
Engine Notes	Fresh water cooled. Engine hours counter.
Number Of Engines	1
Engine Standard	Volvo MD 2030
Stroke	3
Horse Power (hp)	28
Drive Type	Saildrive
Number of Batteries	3 x 12v. One 62Ah for engine start. 2 x 62Ah 12v for general use. 4th battery - spare, 62Ah. Charging - from 60Ah alternator from engine. Switch panel with fuel and water gauges, voltmeter and automatic circuit breakers
Fuel Tank Capacity (L)	155
Propeller	3 blade folding prop
Steering System	Tiller with Spinlock extension
Accommodation Notes	Interior finished in mahogany with 2 component matt silk varnish. Full headroom throughout. Skylights, opening portholes and ventilators. Wooden inner frames for the skylights. Well positioned lighting. High quality upholstery, side curtains, skylight curtains and carpets throughout boat. Detachable carpets with press studs to avoid movement. Floors in teak with inlaid holly stripes and varnished. Inspection openings in floorboards for easier access to valves, log transducers, bilge. Headlining accentuated with mahogany inlays. Fwd cabin - Generous double berth 2.03m long, 2.04m wide. On both sides there are lockers above and generous stowage below. Big hanging locker on port side and various lockers on starboard side. Door to saloon. Aft cabin: 2.13m long berth, 1.66m wide. Spacious hanging locker. Lockers

above berth and stowage below. Door to saloon. Two opening portholes.
 Saloon: 2 sofas starboard side 2.16m, and on port side a 1.83m long L-shaped sofa with lockers above and stowage below.
 Book shelves on port and starboard sides. Strong saloon table. Headroom 1.86m.
 Aft cabin with opening porthole.
 Chart table with space for instruments. Electric switch panel.
 2 x Leecloths.

Number of Berths 4
 Number of Showers 1
 Shower Type Enclosed stall. Shower stall with teak grating. Manual pump toilet. Wash basin with stowage above and below. Large mirror. Compartment with 2 opening portholes for ventilation.

Number of Toilets 1
 Air Conditioning Cooling unit with electric Danfoss compressor. Heater - Webasto diesel with 4 outlets.

Galley Notes Opening window over galley.
 Fresh water pump.

Stove Cooktop + oven.
 Gas bottles - 2 x 2kg with reduction valve and fittings.

Refrigeration Well-insulated cooling box
 Number of Sinks 2 x deep
 Entertainment and Appliances Notes Pioneer Stereo/ CD
 Anchor / Winch 10kg Breeze anchor, chain and 30m anchor line. CQR anchor 20.5kg
 Bilge Pump 1 x manual pump. Emergency bilge pump.
 Deck Gear Deck, toerail, handrails, cockpit seats, integrated bathing platform with folding ladder, cockpit floor and side trims in top quality teak. Strong cleats forward and aft. Spring cleats and fittings for spinnaker blocks.

Two skylights. Windows in aluminium frames.

Pulpit and pushpit guard rails. Two Lewmar 44 CST self-tailing sheet winches.

Windscreen with handholds and sprayhood. The mid section of the screen opens.

Easy view compass in instrument console above sliding hatch.

Genoa tracks with floating blocks and return pulleys to sheet winches.

S/Steel ruddershaft with roller bearings.

Tiller steering.

Two Dorade ventilators in cochoof.

Chain locker forward for fenders and chain.

String stemhead roller on which a CQR anchor can be fitted.

Electric windlass can be mounted on deck.

Deck scupper drains.

Space aft for 2 gas cylinders.

4 fenders, 4 mooring lines, boat hook.

Extra bow-roller.

Shower at bathing platform.

Mast/Rigging

Fractional rig by Selden with strong backstay tensioner for trimming of mast. Forward and aft lower shrouds. Double spreaders. Shrouds and stays 8mm.

Lewmar 16 CST halyard winches.

Main boom supplied with outhaul and 2 reefing lines.

Spinnaker track and traveller for stowing pole on mast.

Mast height above water - 15.35m

Sail Inventory

Fully battened Mainsail in Dacron, and Jib in Offshore version from Elvstrom Sails in Denmark.

Halyards and lines lead into cockpit through 8 jammers to 2 winches under the wind shield.

Single line reefing system to the cockpit. Selden Rodkick.

Lazy jacks and Frederiksen BSS.

Genoa, Dacron.

Electrics

240V shore connection, 12v battery charger.

Electronics Navigation

Raymarine ST4000, ST60 Tri-data, ST 60 Wind and MFD.

Dinghy

Outboard bracket on pushpit.

Covers

Mainsail.

Furlcover excl. Spinnaker halyard.

Safety Gear

2 x fire extinguishers

GPS

Garmin 128 with display at chart table.

Has Navigation Lights

3 colour toplight with anchor light. Deck light.

Radio

VHF. Antenna with cable to navigation table.

Remarks

Cockpit table with fittings for stowage.

Vessel Name

ELLOS

Engine Details

Engine Notes

Fresh water cooled.

Engine hours counter.

Number Of Engines

1

Engine Standard

Volvo MD 2030

Stroke

3

Horse Power (hp)

28

Drive Type

Saildrive

Number of Batteries

3 x 12v. One 62Ah for engine start. 2 x 62Ah 12v for general use.

4th battery - spare, 62Ah.

Charging - from 60Ah alternator from engine.

Switch panel with fuel and water gauges, voltmeter and automatic circuit

breakers

Fuel Tank Capacity (L)

155

Propeller

3 blade folding prop

Steering System

Tiller with Spinlock extension