



Sabre 426

Sold



# **Specifications**

## **Boat Details**

Price Model Year Hull Style Power Type Condition Suburb Sold 426 2006 Single Sail Used NEWPORT Boat Brand Length Category Hull Type Stock Number State Engine Make Sabre 13.11 Cruising Yachts Fibreglass PWSE423334 New South Wales Yanmar

#### Disclaimer



# Description

Sabre 426 built and launched 2006 is now for sale exclusively with DBY Boat Sales.

The Sabre 426 is a medium displacement cruiser/racer design offering the performance of a lighter racing boat but with considerably greater cruising amenities. This combination of traditional styling and great performance is what has built Sabre Yacht's reputation since its first model was launched in1970. A very fair comparison to Hallberg-Rassy, Oyster, Moody and Hylas yachts.

Sabre's attention to detail is well known. Whether it be the style and grace of a shear, the intricate details of a deck mould blending comfort, safety and good looks, or the details found in the hand crafted interior joinery, Sabre Yachts has achieved a stellar reputation for quality and luxury.

The interior layout of the Sabre 426 offers a full beam salon with seating for all crew and guests. Storage is abundant. A very private master cabin with en-suite head and shower stall is located in the bow, and the guest cabin with queen sized berth is found below the cockpit. A full sized chart table is placed at the base of the companionway steps, opposite a full U-shaped galley.

The Sabre 426 is a sailor's sailing yacht, as comfortable on an overnight with friends as on a long offshore passage.

| Features                     |                                                                               |
|------------------------------|-------------------------------------------------------------------------------|
| Designer                     | Jim Taylor                                                                    |
| Builder                      | Sabre Yachts                                                                  |
| Water (Potable) Capacity (I) | 550                                                                           |
| Hull Construction Material   | Single unit, vacuum bagged fiberglass of alternate layers of mat knitted      |
|                              | biaxial roving. Cored with Airex PVC closed cell foam. ISO NPG gelcoat.       |
|                              | Below waterline chopped strand glass with vinylester resin are used as a      |
|                              | back up for ISO NPG gelcoat. Internal deck to hull joint. Double boot and     |
|                              | cove stripes. Bulkheads, berth faces, shelves and floor stringers laminated   |
|                              | to hull providing integral, structural strength.                              |
| Hull Type                    | Mono                                                                          |
| Deck Construction Material   | Single unit, resin infused fiberglass with Airex core for stiffness with high |
|                              | density PVC core in high stress areas The deck is fastened to the hull        |
|                              | using stainless steel thru bolts every 6″ (4″ in way of genoa tracks) 3M      |
|                              | 5200 Polyurethane sealant used in the hull/deck joint.                        |
| Country Origin               | USA                                                                           |
| Length (feet)                | 43                                                                            |
| Length (m)                   | 13                                                                            |
| Length Waterline (m)         | 10.47                                                                         |
| Beam/Width (feet)            | 13'5                                                                          |
| Beam/Width (m)               | 4.1                                                                           |
| Draft (feet)                 | 5ft 2 inches                                                                  |

Disclaimer



|      | 5ft 2 inch wing keel                                                         |
|------|------------------------------------------------------------------------------|
|      | 1 x Wheel with autopilot                                                     |
|      | 24000 lbs                                                                    |
|      | White                                                                        |
|      | Yanmar 55 hp 4 cylinder fresh water cooled diesel with Sail drive serviced   |
|      | May 2022.                                                                    |
|      | 12-volt 100 amp Balmar alternator.                                           |
|      | Single lever engine control                                                  |
|      | 60 gallon custom aluminum fuel tank, deck filled, shut-off valve, vented and |
|      | grounded.                                                                    |
|      | Racor fuel filter/water separator.                                           |
|      | Raw water intake strainer with wrench.                                       |
|      | Engine oil drip pan.                                                         |
|      | Flexible three point engine mount system to minimize vibration and noise.    |
|      | Engine compartment exhaust blower.                                           |
|      | Engine compartment light.                                                    |
|      | Complete engine access provided by sound and heat insulated removable        |
|      | panels.                                                                      |
|      | Tachometer, hour meter, oil, and temperature gauges are recessed in          |
|      | cockpit face.                                                                |
|      | Fuel gauge mounted at helm.                                                  |
| es   | 1                                                                            |
|      | Yanmar                                                                       |
|      | 4                                                                            |
|      | 55                                                                           |
|      | Saildrive                                                                    |
|      | Diesel                                                                       |
| anks | 1 aluminium                                                                  |
|      | Edson Model 402 wheel steering with 42″ comfort grip destroyer wheel,        |
|      | pedestal guard, and brake.                                                   |
|      | Ritchie SP-5 compass mounted in stainless steel binnacle.                    |
|      | Emergency tiller stored in cockpit locker.                                   |
|      | Balanced rudder, molded fiberglass bonded to a carbon fiber rudder stock     |
|      | passing through a Tide's Marine top bearing and a lip seal bearing           |
|      | laminated to the hull.                                                       |
| tes  | Scandvik polished SS double galley sink.                                     |
|      | 6'6″ headroom in main and aft areas, with 6'4″ headroom in                   |
|      | forward sections.                                                            |
|      | Forward cabin has a 6'10― berth                                              |
|      | Main cabin has (2) 6'5″ settee berths, port side converts to double.         |
|      |                                                                              |

Keel/Ballast Number of Helms Displacement Colour Engine Notes

Number Of Engines Engine Standard Stroke Horse Power (hp) Drive Type Fuel Type Number of Fuel Tanks Steering System

Accomodation Notes

Disclaimer



| Aft-cabin with 6'10â€∙ long, full width, double berth.                       |         |
|------------------------------------------------------------------------------|---------|
| Storage in aft-cabin settee.                                                 |         |
| Refrigerator Drawer style, Vitrifrigo DW100, AC/DC, SS                       |         |
| Freezer built in box, Isotherm BI53, AC/DC                                   |         |
| Propane Force 10 stove with oven.                                            |         |
| Ample drawers in both fore and aft cabins                                    |         |
| Flat panel doors throughout. Shoji screens on berth back lockers.            |         |
| Large cedar lined hanging lockers in forward and aft cabins.                 |         |
| Optimized area for instrument installation, storage locker space and         | panel   |
| arrangement at the chart table.                                              |         |
| Main cabin berth backs with cabinets with Shoji screen doors por starboard.  | t and   |
| Forward head with separate stall shower.                                     |         |
| Aft cabin equipped with vanity sink, mirror, hanging locker, and uphols seat | stered  |
| All berths provided with thick foam cushions covered with a durable f        | iabric, |
| zippered for ease of removal and cleaning.                                   |         |
| Quiet Flush fresh water flush MSD w/macerator pump.                          |         |
| Lights in hanging lockers.                                                   |         |
| 7                                                                            |         |
| 2                                                                            |         |
| Hot and cold pressurised plus transom swim platform shower                   |         |
| 1 electric                                                                   |         |
| Electric marine                                                              |         |
| Diesel heating salon and cabins                                              |         |
| 112                                                                          |         |
| U shaped galley to starboard, gas cooking, abundant storage                  |         |
| Four ring burner Ipg plus oven                                               |         |
| 1 x fridge plus 1 x freezer                                                  |         |
| 1                                                                            |         |
| 2 stainless steel                                                            |         |
| New electric anchor windlass                                                 |         |
| Recessed inboard genoa tracks are 1 1/4″ x 3/16″ x 12′ alu                   | minum   |
| T-track. End stops and sheet lead blocks supplied.                           |         |
| Stainless steel cowl vents.                                                  |         |
| Stainless companionway handrail.                                             |         |
| Five part main sheet with Lewmar Ocean Racing blocks led to ball be          | earing  |
| cabin top traveler, and aft to a Lewmar #46CST electric two-speed wir        | nch.    |
|                                                                              |         |
| 3 electric winches.                                                          |         |

Number of Berths Number of Showers Shower Type Number of Toilets Toilet Type Air Conditioning Holding Tank (L) Galley Notes Stove Refrigeration Number of Freezers Number of Sinks Anchor / Winch Deck Gear

#### Disclaimer



|                | Two 10â€ <sup>3</sup> 4-bolt cleats forward mid deck and aft.                                          |
|----------------|--------------------------------------------------------------------------------------------------------|
|                |                                                                                                        |
|                | Self-draining foredeck anchor locker with drain and stainless pad eye to                               |
|                | secure end of anchor rode.                                                                             |
|                | Two recessed deck scuppers.                                                                            |
|                | Custom stainless steel mid-rail chock fitted into each toerail.                                        |
|                | Pulpit, stern rail, and stanchions custom fabricated stainless steel, thru-bolted with backing plates. |
|                | Double lifelines stainless steel cable with port and starboard boarding gates                          |
|                | with braced stanchions.                                                                                |
|                | All lifeline terminals and turnbuckles are swaged stainless steel.                                     |
|                | Stainless steel handrails.                                                                             |
|                | Solid teak toe rails.                                                                                  |
|                | Custom stainless steel anchor roller.                                                                  |
|                | Halyards, reefs, outhaul and vang, led aft.                                                            |
|                | (2) Wichard fold down pad eyes                                                                         |
|                | 7 Lewmar polished Ocean Series deck hatches with wood framed screens.                                  |
|                |                                                                                                        |
|                | 4 main cabin recessed fixed port lights of Marguard Lexan.                                             |
|                | 2 stainless steel cowl vents.                                                                          |
|                | 8 Stainless Steel and 2 polished aluminum opening ports with screens.                                  |
|                | Acrylic sliding companionway hatch w/frp spray hood and solid teak hatch                               |
|                | boards.                                                                                                |
|                | Screened hatch boards.                                                                                 |
|                | Dock lines, fenders, boat hook                                                                         |
| Mast/Rigging   | 2021 completely re rigged and checked in May 2022. One piece aluminum,                                 |
|                | Selden keel stepped, mast with triple airfoil spreaders, masthead rig with                             |
|                | white painted finish.                                                                                  |
|                | Internal main and genoa halyards.                                                                      |
|                | Boom vang lug.                                                                                         |
| Sail Inventory | Battened main in boom bag with lazy jacks, near new Genoa plus a spare,                                |
|                | asymetrical kite in shute.                                                                             |
|                | Rig Dimensions:                                                                                        |
|                | P                                                                                                      |
|                | E                                                                                                      |
|                | I                                                                                                      |
|                | J 49.5'/15.09 m                                                                                        |
|                | 17.5'/5.33 m                                                                                           |
|                | 56.5'/17.22 m                                                                                          |
|                | 16.6'/5.06 m                                                                                           |
| Electrics      | Five 12-volt 110 amp group 31 deep cycle marine house batteries                                        |

### Disclaimer



|                        | Remote, Sealed battery switch.                                          |
|------------------------|-------------------------------------------------------------------------|
|                        | 110V shore power system with GFI protected in galley and head. Includes |
|                        | 50' shorepower cord                                                     |
|                        | Macerator pump for head                                                 |
|                        | Master AC/DC panels, located in the navigation area, include AC/DC volt |
|                        | and ammeters, marine circuit breakers, and polarity indicator.          |
|                        | 12V outlet at chart table                                               |
|                        | All wiring is color coded and tinned and meets USCG stds                |
|                        | Cabin courtesy lights.                                                  |
|                        | Xantrex Prosine 2.0 Inverter/charger                                    |
|                        | Microwave oven in galley                                                |
|                        | 1 x engine crank battery                                                |
| Dinghy                 | Highfield inflatable with outboard                                      |
| Covers                 | Boom bag, UV strip on headsail, Bimini                                  |
| Radio                  | New VHF                                                                 |
| Number of Life Jackets | 4                                                                       |
| Vessel Name            | LION CHASER                                                             |

### **Engine Details**

**Engine Make** Horse Power Yanmar 55

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.